

MSDS

MSDS Number: 1104

DETAIL SPRAY WAX

Revision Date: 10/09/2014

Page 1 of 7

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Malco Products, Inc.
361 Fairview Ave
Barberton, OH 44203

Contact: Technical Department
Telephone Number: 800.253.2526
Number: 3307778313
msdsinfo@malcopro.com
Web: www.malcopro.com

Australian Distributor

iCare Cleaning Products Products Pty Ltd
2/4 Leighton Pl
Hornsby, NSW 2077

Contact: Administration
Telephone Number: (02) 9476 5392
FAX Number: (02) 9476 3612
E-mail: sales@icareproducts.com.au
Web: www.icareproducts.com.au

Australia - 24 Hour Emergency Assistance:
National Poisons Information Centre
Telephone Number: 131 126

Product Name: Showroom Shine
Revision Date: 10/09/2012
Version: 06
MSDS Number: 1104
Product Use: Automotive Detailing

24 hour Emergency Assistance:
1-800-424-9300

2

HAZARDS IDENTIFICATION

Route of Entry:

Target Organs: No available information

Inhalation: May cause mild irritation.

Skin Contact: May cause mild irritation.

Eye Contact: May cause irritation.

Ingestion: May be Harmful if swallowed.

Classification According to Directive 1999/45/EC (DSD)

Classification: Xi, Xn, R22, R36

GHS/CLP

Signal Word(s): WARNING

Hazard Phrase(s): H303

Precautionary Phrase(s): P101, P102, P103, P312

Pictogram(s): None

HMIS II-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

HMIS® Rating H1/F1/PH0

NFPA-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

MSDS

MSDS Number: 1104

DETAIL SPRAY WAX

Revision Date: 10/09/2014

Page 2 of 7

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas#/EC#	Perc.	Chemical Name	Haz Class	R Phrases
67-63-0/	1-5%	Isopropyl alcohol	F, Xi*	R11, R36, R67*
200-661-7				

*self-classified

4

FIRST AID MEASURES

Inhalation: If breathing is difficult or irritating, move person to fresh air immediately. If symptoms persist, get medical attention.

Skin Contact: Rinse area with soap and water.

Eye Contact: Flush immediately with large amounts of clean water for a minimum of 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses, if present and easy to do. Do not rub eyes. If any irritation persists, seek medical attention.

Ingestion: Do not induce vomiting. If the person is conscious, give several glasses of water to dilute the ingested material. Small amounts that may have accidentally entered the mouth should be rinsed out thoroughly with water. If any irritation persists, seek medical attention.

MSDS

MSDS Number: 1104

DETAIL SPRAY WAX

Revision Date: 10/09/2014

Page 3 of 7

5

FIRE FIGHTING MEASURES

Flash Point: >200 F
Flash Point Method: Closed Cup
Burning Rate: N/A
Autoignition Temperature: N/A
LEL: N/A
UEL: N/A
Flammability Classification: Non-flammable

6

ACCIDENTAL RELEASE MEASURES

English: Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in a chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

7

HANDLING AND STORAGE

Handling Precautions: Wear proper Personal Protective Equipment when handling.

Storage Requirements: Do not store in direct sunlight. Keep away from children. Keep containers tightly closed.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Local exhaust recommended.

Protective Equipment: HMIS PP, A | Goggles
HMIS PP, B | Goggles, Gloves
Gloves recommended only if extremely sensitive skin. Safety glasses or goggles recommended

MSDS

MSDS Number: 1104

DETAIL SPRAY WAX

Revision Date: 10/09/2014

Page 4 of 7

Exposure Guidelines/Other:

Exposure Limits

Component

Isopropyl Alcohol (CAS 67-63-0)

- OSHA-PEL 400ppm, 980mg/m³ (TWA)
- ACGIH-TLV 200ppm, 491mg/m³ (TWA)

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pink	Boiling Point:	~212 F
Physical State:	Liquid	Freezing/Melting Pt.:	~30 F
Odor:	Cherry	Solubility:	soluble in water
pH:	6.0 - 8.0	Spec Grav./Density:	8.26 lbs/gal
Vapor Pressure:	No available data		
Vapor Density:	No available data		
VOC:	2.96% by weight		

10

STABILITY AND REACTIVITY

Stability:	Yes
Conditions to avoid:	Keep From Freezing
Materials to avoid (incompatability):	Oxidizers.
Hazardous Decomposition products:	Carbon Monoxide and other hazardous chemicals.
Hazardous Polymerization:	Will not occur

11

TOXICOLOGICAL INFORMATION

There is no data available for this product.

12

ECOLOGICAL INFORMATION

There is no data available for this product.

MSDS

MSDS Number: 1104

DETAIL SPRAY WAX

Revision Date: 10/09/2014

Page 5 of 7

13

DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

14

TRANSPORT INFORMATION

Because this is produced and shipped in several different container sizes as well as domestically and internationally, please consult your transportation specialist for the proper shipping name and class.

DOT:

Not Regulated

IMDG:

Not Regulated

15

REGULATORY INFORMATION

CHIP3 Compliance

Xi

Irritant

R36

Irritating to eyes.

S1/2

Keep locked up and out of the reach of children.

S25

Avoid contact with eyes.

MSDS

MSDS Number: 1104

DETAIL SPRAY WAX

Revision Date: 10/09/2014

Page 6 of 7

S39

Wear eye/face protection.

S62

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

*Isopropyl alcohol (67630 2-4%) MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TXAIR

This product contains chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm.

50-00-0*

*However, typical end-use exposure will be lower than Safe Harbor Levels according to Prop 65

MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
NRC = Nationally Recognized Carcinogens
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA313 = SARA 313 Title III Toxic Chemicals
TXAIR = TX Air Contaminants with Health Effects Screening Level
CERCLA = Superfund clean up substance
CSWHS = Clean Water Act Hazardous substances
EHS302 = Extremely Hazardous Substance
EPCRAWPC = EPCRA Water Priority Chemicals
HAP = Hazardous Air Pollutants
NJEHS = NJ Extraordinarily Hazardous Substances
OSHAHTS = OSHA Hazardous and Toxic Substances
OSHAPSM = OSHA Chemicals Requiring process safety management
PROP65 = CA Prop 65
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TXHWL = TX Hazardous Waste List

MSDS

MSDS Number: 1104

DETAIL SPRAY WAX

Revision Date: 10/09/2014

Page 7 of 7

16

OTHER INFORMATION

The information contained herein is based on data considered accurate to the best of our knowledge at the date of its publication. However, no warranty is expressed or implied regarding the accuracy, completeness, or adequacy of the information contained herein. The vendor shall not be held liable (regardless of fault) to the vendee or third persons, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.

END OF MSDS DOCUMENT